

BEST AVAILABLE COPY

US Serial No. 10/760,048
Response to Restriction Requirement
Page 2 of 6

AMENDMENTS TO THE CLAIMS

RECEIVED
CENTRAL FAX CENTER
SEP 05 2006

This listing of Claims will replace all prior versions, and listings, of Claims in the patent application:

Listing of Claims

1. (Withdrawn) An oligonucleotide consisting essentially of: (a) the target binding sequence of an oligonucleotide selected from the group consisting of SEQ ID NO:1, SEQ ID NO:2, SEQ ID NO:3, SEQ ID NO:4, SEQ ID NO:5, SEQ ID NO:6, SEQ ID NO: 7, SEQ ID NO:8, SEQ ID NO:9 and SEQ ID NO:10 and, optionally, (b) a sequence required for a selected amplification or detection reaction.
2. (Withdrawn) The oligonucleotide of claim 1, wherein said sequence required for a selected amplification or detection reaction comprises a restriction endonuclease recognition site.
3. (Withdrawn) The oligonucleotide of claim 2, wherein said restriction endonuclease recognition site is selected from the group consisting of a site recognized by *BsoB1*, *BsrI*, *BsrNI*, *BsmAI*, *BstOI*, *BstI* or *HincII* endonucleases.
4. (Withdrawn) The oligonucleotide of claim 3, wherein said restriction endonuclease recognition site is is recognized by a *BsoB1* endonuclease.
5. (Withdrawn) The oligonucleotide of claim 1, wherein said sequence required for a detection reaction is selected from the group consisting of a hairpin, a G-quartet, a restriction site and a sequence that hybridizes to a reporter probe.
6. (Withdrawn) The oligonucleotide of claim 5, wherein said oligonucleotide is labeled with a detectable label.
7. (Withdrawn) The oligonucleotide of claim 6, wherein said detectable label is a fluorescent label.
8. (Withdrawn) The oligonucleotide of claim 1, wherein the oligonucleotide is 10 to 70 bases in length.

BEST AVAILABLE COPY

US Serial No. 10/760,048
Response to Restriction Requirement
Page 3 of 6

9. (Withdrawn) A kit comprising an oligonucleotide according to claim 1 and at least one container that contains said oligonucleotide.
10. (Currently Amended) A method for detecting an enterovirus target sequence comprising:
(a) amplifying the target sequence using a first amplification primer having a sequence consisting essentially of the target binding sequence of ~~any one of SEQ ID NO:3 through SEQ ID NO:10~~ SEQ ID NO:7 and, optionally, a sequence required for a selected amplification reaction, and; (b) detecting the amplified target sequence.
11. (Currently Amended) The method of claim 10 further comprising a second amplification primer having a sequence consisting essentially of the target binding sequence of ~~any one of SEQ ID NO:3 through SEQ ID NO:10~~ SEQ ID NO:5 and, optionally, a sequence required for a selected amplification reaction.
12. (Cancelled)
13. (Currently Amended) The method of claim 11, wherein the target binding sequence of the second amplification primer is the target binding sequence of ~~any of SEQ ID NO:5 through SEQ ID NO:8~~ SEQ ID NO:5.
14. (Original) The method of claim 10, wherein the amplified target sequence is detected using an oligonucleotide have a sequence consisting of the target binding sequence of SEQ ID NO:9 or SEQ ID NO:10 and, optionally, a sequence required for a selected detection reaction.
15. (Original) The method of claim 14, where in the sequence required for the selected detection reaction is a hairpin, G-quartet, restriction site or a sequence which hybridizes to a reporter probe.
16. (Original) The method of claim 14, wherein the oligonucleotide comprises a detectable label.
17. (Original) The method of claim 16, wherein the label is a fluorescent label.
18. (Original) The method of claim 10, wherein said first amplification primer is unlabeled and the target sequence is detected by hybridization of a complement of the oligonucleotide to a labeled reporter probe.

BEST AVAILABLE COPY

US Serial No. 10/760,048
Response to Restriction Requirement
Page 4 of 6

19. (New) A method for detecting an enterovirus target sequence comprising: (a) amplifying the target sequence using a first amplification primer having a sequence consisting essentially of the target binding sequence of SEQ ID NO:7 or SEQ ID NO:5 and, optionally, a sequence required for a selected amplification reaction, and; (b) detecting the amplified target sequence.
20. (New) The method of claim 19 further comprising a second amplification primer having a sequence consisting essentially of the target binding sequence of SEQ ID NO:7 or SEQ ID NO:5 and, optionally, a sequence required for a selected amplification reaction.
21. (New) The method of claim 19, wherein the amplified target sequence is detected using an oligonucleotide have a sequence consisting of the target binding sequence of SEQ ID NO:9 or SEQ ID NO:10 and, optionally, a sequence required for a selected detection reaction.
22. (New) The method of claim 19, where in the sequence required for the selected detection reaction is a hairpin, G-quartet, restriction site or a sequence which hybridizes to a reporter probe.
23. (New) The method of claim 21, wherein the oligonucleotide comprises a detectable label.